

Anesthesiologist role in multidisciplinary cancer care: A holistic approach

Prashant Raosaheb Ginimuge¹, Sanjay Ashwamedh Kshirsagar², Swaroop Geji S¹, Kaushikee Ranjan Verma³, Sajidhusain B Nadaf¹, Lalit Gupta⁴, Anish Nelson⁵

¹Department of Anaesthesiology, Belagavi Institute of Medical Sciences, Belagavi, Karnataka, India ²Department of Anaesthesia and ICU, Latifa Hospital, Al Jadaff, Dubai, UAE

³Indira Gandhi Institute of Medical Sciences, Patna, Bihar, India

⁴Department of Anaesthesiology, Maulana Azad Medical College, New Delhi, India

⁵Nitte (Deemed to be university), Ab Shetty memorial Institute of Dental Sciences (ABSMIDS), Department of Oral and Maxillofacial surgery, Mangalore, India

ABSTRACT

Anesthesiologists play a pivotal role in the multidisciplinary care of cancer patients, contributing significantly to their overall treatment outcomes and quality of life. This abstract delves into the comprehensive role of anesthesiologists in the holistic management of cancer patients, highlighting their involvement from preoperative assessment to postoperative care and pain management. The preoperative phase is crucial, where anesthesiologists collaborate with oncologists and other specialists to assess the patient's medical history, cancer stage, comorbidities, and anesthesia-related risks. This assessment not only helps in devising an appropriate anesthesia plan but also contributes to optimizing the patient's overall health status before surgery. During surgery, anesthesiologists are responsible for administering anesthesia tailored to the patient's needs and the surgical procedure. They monitor vital signs, manage intraoperative complications, and ensure a smooth transition between surgical phases while maintaining hemodynamic stability and pain control.

Postoperatively, anesthesiologists continue to play a vital role in pain management, particularly in cancer patients who may experience acute and chronic pain due to surgical interventions, tumor-related symptoms, or treatments like chemotherapy and radiation therapy. They employ various pharmacological and non-pharmacological techniques to alleviate pain, improve patient comfort, and enhance recovery outcomes.

Furthermore, anesthesiologists contribute to the interdisciplinary approach in cancer care by participating in tumor board meetings, where treatment plans are discussed collaboratively with oncologists, surgeons, radiologists, and other specialists. This collaborative effort ensures comprehensive care, personalized treatment strategies, and optimal patient outcomes.

Keywords: anaesthesiology, holistic health, multidisciplinary care, neoplasms, patient care management

Address for correspondence:

Sajidhusain B Nadaf, Associate Professor, Department of Anaesthesiology, Belagavi Institute of Medical sciences, Belagavi, Karnataka, India

E-mail: sajidnadaf@gmail.com

Word count: 4379 **Tables:** 00 **Figures:** 00 **References:** 19

Received: 10 April, 2024, Manuscript No. OAR-24-131945

Editor Assigned: 14 April, 2024, Pre-QC No. OAR-24-131945(PQ)

Reviewed: 25 April, 2024, QC No. OAR-24-131945(Q)

Revised: 07 May, 2024, Manuscript No. OAR-24-131945(R)

Published: 30 May, 2024, Invoice No. J-131945

INTRODUCTION

Cancer, a complex and multifaceted disease, poses significant challenges to patients, caregivers, and healthcare providers worldwide. The management of cancer involves a multidisciplinary approach that encompasses various medical specialties, each playing a crucial role in addressing the diverse aspects of the disease [1]. Among these specialties, anesthesiology stands out as a fundamental pillar in the holistic care of cancer patients, contributing substantially to their treatment journey and overall well-being [2].

The field of anesthesiology has evolved significantly over the years, expanding its scope beyond perioperative care to encompass a broader spectrum of patient management, including chronic pain management, critical care, and palliative care. Within the context of cancer care, anesthesiologists play a pivotal role at every stage of the patient's journey, from preoperative assessment to intraoperative management and postoperative recovery [3].

In recent decades, the understanding of cancer biology, advancements in surgical techniques, and innovations in anesthesia protocols have led to improved outcomes and enhanced patient safety in cancer surgery and therapy [4]. Anesthesiologists, armed with specialized knowledge and skills, collaborate closely with oncologists, surgeons, and other healthcare professionals to ensure optimal outcomes for cancer patients [5].

The preoperative phase sets the stage for successful cancer surgery, where anesthesiologists conduct comprehensive assessments to evaluate the patient's overall health status, cancer stage, comorbidities, and anesthesia-related risks. This meticulous evaluation enables them to tailor an individualized anesthesia plan that takes into account the patient's specific needs, ensuring a safe and effective perioperative experience.

During surgery, anesthesiologists oversee crucial aspects of patient care, including anesthesia administration, intraoperative monitoring, hemodynamic stability maintenance, and management of intraoperative complications. Their expertise in airway management, fluid resuscitation, and pain control is instrumental in optimizing surgical outcomes and minimizing perioperative risks for cancer patients.

Postoperatively, anesthesiologists continue to play a vital role in pain management, particularly in cancer patients who may experience acute and chronic pain related to surgery, tumor-related symptoms, or cancer treatments such as chemotherapy

and radiation therapy. They employ a range of pharmacological and non-pharmacological interventions to alleviate pain, improve patient comfort, and facilitate early mobilization and recovery.

Moreover, the interdisciplinary nature of cancer care necessitates collaboration among healthcare professionals from various specialties, including anesthesiology. Anesthesiologists actively participate in tumor board meetings and interdisciplinary rounds, where treatment plans are discussed, and patient management strategies are coordinated collectively. This collaborative approach ensures comprehensive, patient-centered care that addresses not only the cancer itself but also the patient's holistic well-being and quality of life.

Furthermore, ongoing advancements in anesthesia technology, pharmacology, and perioperative practices continue to refine the role of anesthesiologists in cancer care. Research efforts focus on optimizing anesthesia techniques, enhancing pain management strategies, reducing perioperative complications, and improving patient outcomes in cancer surgery and therapy [6].

LITERATURE REVIEW

Anesthesiologist in acute pain management among cancer patients

Acute pain management is a critical aspect of caring for cancer patients, and anesthesiologists play a pivotal role in ensuring effective pain relief while minimizing potential side effects and complications. This article delves into the role of anesthesiologists in acute pain management among cancer patients, highlighting their expertise, strategies, and challenges in addressing pain in this population [6].

Cancer-related pain can stem from various sources, including tumor growth, invasive procedures, nerve compression, inflammation, and treatment-related side effects such as chemotherapy-induced neuropathy. The intensity and nature of pain can vary widely among cancer patients, necessitating individualized pain management approaches tailored to each patient's specific needs and preferences [7].

Anesthesiologists are uniquely positioned to manage acute pain in cancer patients due to their specialized training in pain medicine, pharmacology, and interventional techniques. Their role begins with a comprehensive assessment of the patient's pain, considering factors such as pain intensity, location, quality, duration, exacerbating and alleviating factors, and impact on daily activities and quality of life. Based on this assessment, anesthesiologists develop a multimodal pain management plan that may incorporate pharmacological interventions, regional anesthesia techniques, nerve blocks, neurolytic procedures, and non-pharmacological modalities such as physical therapy, cognitive-behavioral therapy, and integrative medicine approaches [8].

Pharmacological interventions play a central role in acute pain management among cancer patients. Anesthesiologists utilize a range of medications, including opioids, Nonsteroidal Anti-Inflammatory Drugs (NSAIDs), adjuvant analgesics (e.g., antidepressants, anticonvulsants), and local anesthetics, to achieve adequate pain control while minimizing adverse effects. They carefully titrate medications based on the patient's response, adjusting doses and routes of administration as needed to achieve optimal pain relief.

Regional anesthesia techniques, such as epidural analgesia, peripheral nerve blocks, and intrathecal drug delivery, offer targeted pain relief and can be particularly beneficial in managing postoperative pain following cancer surgery. These techniques not only provide effective analgesia but also reduce the need for systemic opioids, thereby mitigating opioid-related side effects such as respiratory depression, sedation, nausea, and constipation.

In addition to pharmacological and regional techniques, anesthesiologists may employ interventional procedures to manage cancer-related pain refractory to conventional therapies. Examples include neurolytic blocks (e.g., celiac plexus block, splanchnic nerve block) for abdominal pain, radiofrequency ablation or cryoablation for nerve-related pain, and intrathecal drug delivery systems for intractable pain unresponsive to oral medications [9].

Non-pharmacological modalities complement pharmacotherapy and interventional techniques in acute pain management among cancer patients. Anesthesiologists collaborate with interdisciplinary teams to incorporate physical therapy, occupational therapy, psychological support, relaxation techniques, acupuncture, and integrative medicine approaches into the pain management plan, aiming to enhance overall well-being and functional outcomes.

Challenges in acute pain management among cancer patients include individual variability in pain perception and response to treatment, opioid tolerance and dependence issues, opioid-related stigma, fear of addiction, medication side effects, drug interactions, and the need for balance between pain relief and preservation of quality of life. Moreover, anesthesiologists navigate ethical considerations, such as ensuring informed consent, promoting patient autonomy, respecting cultural beliefs, addressing end-of-life pain management dilemmas, and adhering to evidence-based guidelines and regulatory requirements in opioid prescribing and controlled substance management.

Despite these challenges, anesthesiologists remain dedicated to optimizing acute pain management outcomes for cancer patients through a patient-centered approach that emphasizes comprehensive assessment, multimodal interventions, interdisciplinary collaboration, patient education, shared decision-making, continuous monitoring, and timely reassessment of pain and treatment responses [10].

Anesthesiologist in chronic pain management among cancer patients

Chronic pain management in cancer patients presents unique challenges that require a comprehensive and multidisciplinary approach, with anesthesiologists playing a crucial role in providing effective and compassionate care. This article explores the role of anesthesiologists in chronic pain management among cancer patients, focusing on their expertise, strategies, and challenges in addressing long-term pain in this population [11].

Cancer-related chronic pain can arise from various sources, including persistent tumor-related pain, treatment-induced neuropathy, surgical complications, scar tissue formation, and psychological factors such as anxiety and depression. Unlike acute pain, which is typically short-lived and directly related to tissue injury, chronic pain in cancer patients is often complex, multifactorial, and may persist long after the completion of cancer

treatment.

Anesthesiologists are uniquely qualified to manage chronic pain in cancer patients due to their specialized training in pain medicine, pharmacology, and interventional techniques. Their role in chronic pain management begins with a comprehensive assessment of the patient's pain history, including the nature, location, intensity, duration, exacerbating and alleviating factors, functional impact, and previous pain management strategies.

Based on this assessment, anesthesiologists develop a personalized pain management plan that may encompass a combination of pharmacological interventions, interventional procedures, psychological therapies, physical modalities, and integrative medicine approaches. The goal is not only to alleviate pain but also to improve functional status, enhance quality of life, and promote overall well-being in cancer patients dealing with chronic pain.

Pharmacological interventions play a central role in chronic pain management among cancer patients. Anesthesiologists may prescribe a range of medications, including opioids, non-opioid analgesics, adjuvant medications (e.g., antidepressants, anticonvulsants), and topical agents, tailored to the individual patient's pain profile, medical history, comorbidities, and treatment goals. They monitor medication efficacy, adjust dosages, and address medication-related side effects and complications as needed [12].

Interventional procedures offer targeted pain relief and can be particularly beneficial for cancer patients with refractory chronic pain. Anesthesiologists may perform nerve blocks, neurolytic procedures (e.g., radiofrequency ablation, cryoablation), spinal cord stimulation, intrathecal drug delivery, and other minimally invasive techniques to interrupt pain signals, modulate neural pathways, and improve pain control while minimizing systemic medication use and side effects.

Psychological therapies play a crucial role in addressing the emotional, cognitive, and behavioural aspects of chronic pain in cancer patients. Anesthesiologists collaborate with psychologists, psychiatrists, and behavioural therapists to incorporate cognitive-behavioural therapy, mindfulness-based stress reduction, relaxation techniques, biofeedback, and coping skills training into the pain management plan. These interventions aim to reduce pain-related distress, improve coping strategies, enhance resilience, and promote psychological well-being.

Physical modalities, such as physical therapy, occupational therapy, exercise programs, and assistive devices, complement pharmacotherapy and interventional techniques in chronic pain management among cancer patients. Anesthesiologists work closely with physical therapists and rehabilitation specialists to optimize functional outcomes, restore mobility, address musculoskeletal issues, prevent deconditioning, and improve overall physical function and independence.

Integrative medicine approaches, including acupuncture, massage therapy, herbal supplements, nutritional counseling, and mind-body practices (e.g., yoga, tai chi), may also be incorporated into the pain management plan under the guidance of anesthesiologists. These complementary therapies offer additional avenues for pain relief, stress reduction, symptom management, and overall wellness enhancement in cancer patients with chronic pain.

Challenges in chronic pain management among cancer patients include the complexity of pain etiology, individual variability in pain perception and response to treatment, opioid tolerance and dependence issues, medication side effects, drug interactions, psychological comorbidities, caregiver support needs, financial constraints, and ethical considerations surrounding pain control, end-of-life care, and quality of life considerations [13, 14].

Anesthesiologists navigate these challenges by adopting a patient-centered approach that emphasizes shared decision-making, clear communication, empathetic listening, holistic assessment, interdisciplinary collaboration, continuous monitoring, and ongoing reassessment of pain and treatment responses. They strive to balance pain relief with functional goals, quality of life considerations, risk mitigation strategies, and patient preferences, ensuring a tailored and comprehensive approach to chronic pain management in cancer patients.

Preoperative assessment of cancer patients for the surgeries

Preoperative assessment plays a crucial role in ensuring the safety, efficacy, and optimal outcomes of cancer surgery. This assessment involves a comprehensive evaluation of the patient's medical history, cancer status, comorbidities, and overall health to guide perioperative management and minimize potential risks. In this article, we delve into the importance of preoperative assessment for patients undergoing cancer surgery, highlighting key components, considerations, and strategies involved.

Medical history and cancer status

The preoperative assessment begins with a detailed review of the patient's medical history, including past surgeries, medical conditions, medications, allergies, and lifestyle factors. For cancer patients, specific attention is given to the type, stage, and extent of the cancer, previous treatments (e.g., chemotherapy, radiation therapy), tumor-related symptoms, and any ongoing oncological therapies. This information helps in understanding the patient's overall health status, cancer prognosis, and potential impact on surgical outcomes.

Physical examination

A comprehensive physical examination is conducted to assess the patient's vital signs, cardiovascular and respiratory function, neurological status, nutritional status, and any signs of metastasis or cancer-related complications. Specialized examinations may be performed based on the type of cancer and planned surgical procedure, such as breast examination for breast cancer patients or abdominal examination for gastrointestinal malignancies.

Laboratory and diagnostic tests

Preoperative laboratory tests, imaging studies, and other diagnostic investigations are ordered to evaluate organ function, hematological parameters, electrolyte balance, coagulation profile, liver and renal function, and overall fitness for surgery. Common tests include Complete Blood Count (CBC), electrolyte panel, renal and liver function tests, coagulation studies, chest X-ray or CT scan, ECG, and echocardiography for high-risk patients.

Cardiovascular assessment

Patients undergoing cancer surgery, especially major procedures, are at increased risk of cardiovascular complications.

Anesthesiologists assess cardiovascular risk factors (e.g., hypertension, diabetes, coronary artery disease), perform cardiac evaluations (e.g., stress testing, echocardiography), and optimize cardiac medications to minimize perioperative cardiac events and ensure hemodynamic stability during surgery.

Respiratory assessment

Cancer patients may have underlying respiratory issues (e.g., lung cancer, chronic obstructive pulmonary disease) or respiratory compromise due to tumor location, previous treatments, or smoking history. Anesthesiologists evaluate respiratory function, perform pulmonary function tests if indicated, optimize bronchodilator therapy, and consider lung protective strategies during anesthesia to prevent postoperative respiratory complications.

Nutritional assessment

Malnutrition is common in cancer patients and can impact surgical outcomes, wound healing, immune function, and overall recovery. Anesthesiologists assess nutritional status, including weight, BMI, serum albumin, prealbumin, and nutritional intake. Nutritional support, supplementation, and perioperative fasting guidelines are tailored to optimize nutritional status and minimize perioperative complications.

Psychosocial assessment

Cancer surgery can have significant psychological and emotional implications for patients, including anxiety, depression, fear of recurrence, and coping challenges. Anesthesiologists collaborate with psychologists, social workers, and support services to assess psychosocial factors, provide emotional support, address patient concerns, and facilitate coping strategies to enhance resilience and well-being.

Medication management

Anesthesiologists review the patient's medications, including anticoagulants, antiplatelet agents, insulin, oral hypoglycemic agents, and chronic pain medications. Management strategies are developed to minimize perioperative medication-related risks, ensure continuity of care, and optimize perioperative pain control, hemostasis, and glycemic control.

Anesthesia plan

Based on the preoperative assessment findings, anesthesiologists develop an individualized anesthesia plan that considers the patient's medical condition, surgical procedure, anesthesia requirements, airway management considerations, hemodynamic goals, pain management strategies, and postoperative care needs. Anesthetic techniques, monitoring modalities, fluid management protocols, and perioperative medications are tailored to optimize patient safety and surgical outcomes.

Shared decision-making

Preoperative assessment involves shared decision-making between patients, surgeons, anesthesiologists, and other healthcare providers. Patients are educated about the surgical procedure, potential risks and benefits, alternative treatment options, postoperative expectations, recovery process, and informed consent is obtained after thorough discussion and clarification of concerns.

Intra and post operative management of patient undergoing cancer surgery

Intraoperative and postoperative management are critical phases in the care of cancer patients undergoing surgery, and anesthesiologists play a pivotal role in ensuring optimal outcomes during these periods. This article explores the intraoperative and postoperative management of patients undergoing cancer surgery from the perspective of an anesthesiologist, highlighting key considerations, challenges, and strategies involved.

Intraoperative management

Anesthesia induction and maintenance:

Anesthesiologists are responsible for administering anesthesia and ensuring the patient is adequately sedated, pain-free, and hemodynamically stable throughout the surgical procedure. The choice of anesthesia technique (e.g., general anesthesia, regional anesthesia, or a combination) is based on the patient's medical condition, surgical requirements, and anesthetic goals. Anesthesiologists monitor vital signs, depth of anesthesia, oxygenation, ventilation, fluid status, and temperature during surgery to optimize patient safety and surgical conditions [15].

Airway management

Maintaining a patent airway is crucial during cancer surgery, especially in procedures involving the head, neck, or thorax. Anesthesiologists use advanced airway management techniques, such as endotracheal intubation, laryngeal mask airway insertion, or supraglottic devices, to ensure adequate ventilation and oxygenation. They monitor for airway complications, such as laryngospasm, bronchospasm, or airway obstruction, and intervene promptly to prevent respiratory compromise.

Hemodynamic stability

Cancer surgery can pose hemodynamic challenges due to tumor manipulation, fluid shifts, blood loss, and surgical stress. Anesthesiologists monitor blood pressure, heart rate, cardiac output, fluid balance, and electrolyte levels closely, using invasive hemodynamic optimization strategies, such as fluid resuscitation, vasopressor or inotropic support, and blood transfusions, to maintain hemodynamic stability and tissue perfusion during surgery [15].

Pain management

Effective intraoperative pain management is essential for patient comfort, surgical conditions, and postoperative recovery. Anesthesiologists administer analgesics, opioids, local anesthetics, and regional anesthesia techniques (e.g., epidural analgesia, peripheral nerve blocks) to minimize intraoperative pain, attenuate the stress response to surgery, and facilitate smoother recovery. They adjust pain management strategies based on surgical incision site, anticipated pain intensity, patient response, and hemodynamic considerations [16].

Fluid and electrolyte balance:

Anesthesiologists monitor fluid administration, urine output, electrolyte levels, and acid-base status during surgery to maintain optimal fluid and electrolyte balance. They consider factors such as preoperative hydration status, surgical duration, blood loss, third-space losses, and fluid shifts when determining fluid

replacement strategies. Goal-directed fluid therapy, balanced crystalloid solutions, and blood product administration are utilized judiciously to prevent dehydration, hypovolemia, and electrolyte imbalances [17].

Temperature management:

Maintaining normothermia is essential during cancer surgery to reduce the risk of surgical site infections, hypothermia-related complications, and adverse outcomes. Anesthesiologists use warming devices, such as forced-air warming blankets, fluid warmers, and heated humidifiers, to prevent perioperative hypothermia and ensure thermal comfort for the patient. They monitor core body temperature and implement temperature management protocols tailored to the surgical setting and patient's physiological status.

Postoperative management:

Recovery and extubation:

After surgery, anesthesiologists oversee the patient's recovery from anesthesia, ensuring smooth emergence from anesthesia, airway patency, adequate ventilation, hemodynamic stability, and pain control. They assess consciousness, respiratory function, oxygenation, and response to stimuli before considering extubation or transitioning to Post-Anesthesia Care Unit (PACU) for further monitoring and recovery.

Pain assessment and management:

Postoperative pain management is a priority for anesthesiologists, as adequate pain control promotes early mobilization, reduces complications, and enhances patient satisfaction. They assess pain intensity, location, quality, and functional impact using validated pain scales and tailor pain management strategies accordingly. This may include opioid and non-opioid analgesics, Patient-Controlled Analgesia (PCA), regional anesthesia techniques, multimodal analgesia protocols, and adjunctive therapies (e.g., non-pharmacological interventions, nerve blocks).

Postoperative monitoring

Anesthesiologists continue to monitor vital signs, respiratory function, neurologic status, fluid status, and pain levels in the postoperative period. They assess for postoperative complications, such as respiratory depression, hypotension, arrhythmias, delirium, nausea, vomiting, wound issues, thromboembolic events, and urinary retention, and intervene promptly to address any concerns. Continuous monitoring, regular assessments, and communication with nursing staff are essential for early detection and management of complications [18].

Fluid and nutrition management

Anesthesiologists collaborate with the surgical team and nutritionists to optimize fluid resuscitation, electrolyte balance, nutritional support, and early oral intake in the postoperative phase. They assess fluid status, monitor fluid input and output, and adjust intravenous fluids, electrolyte replacement, and nutrition support based on clinical indicators, metabolic demands, gastrointestinal function, and surgical recovery trajectory.

Early mobilization and rehabilitation

Encouraging early mobilization, ambulation, and respiratory exercises is crucial for postoperative recovery and reducing the

risk of complications such as atelectasis, pneumonia, venous thromboembolism, and deconditioning. Anesthesiologists collaborate with physical therapists, occupational therapists, and nursing staff to develop individualized rehabilitation plans, promote mobility, functional independence, and safe discharge home or to a rehabilitation facility.

Discharge planning and follow-up

Anesthesiologists participate in discharge planning, providing recommendations for postoperative care, pain management, activity restrictions, medication instructions, wound care, and follow-up appointments. They communicate with primary care providers, oncologists, and other specialists involved in the patient's care to ensure continuity of care, address postoperative concerns, monitor recovery progress, and facilitate long-term oncological follow-up. Managing patients undergoing oncosurgeries presents several challenges for anesthesiologists, stemming from the complexity of cancer, the nature of surgical procedures, and the unique physiological and psychological needs of cancer patients.

Challenges for an anesthesiologist while managing oncosurgeries

Multimorbidity:

Cancer patients often have multiple comorbidities, such as cardiovascular disease, diabetes, pulmonary disorders, and renal insufficiency, which can complicate anesthesia management. Anesthesiologists must carefully assess and optimize these comorbidities preoperatively to minimize perioperative risks and ensure safe anesthesia administration.

Tumor-related complications:

Depending on the type and location of the tumor, patients may experience tumor-related complications that affect anesthesia management. Examples include airway obstruction or compression, vascular encroachment or involvement, neural compression, and metabolic derangements. Anesthesiologists must anticipate and address these complications during anesthesia planning and intraoperative management.

Surgical complexity:

Oncosurgeries can be complex and lengthy, involving extensive tissue resection, reconstruction, and intraoperative monitoring. Anesthesiologists must collaborate closely with surgical teams to optimize surgical conditions, ensure adequate anesthesia depth, maintain hemodynamic stability, and manage intraoperative complications effectively.

Hemodynamic instability:

Cancer surgeries, especially major procedures, can induce significant hemodynamic changes, such as hypotension, tachycardia, arrhythmias, and fluid shifts. Anesthesiologists must monitor hemodynamics closely, employ goal-directed fluid therapy, use vasopressors or inotropes judiciously, and anticipate and manage hemodynamic fluctuations to prevent adverse outcomes.

Coagulopathy and bleeding risk:

Cancer patients may have underlying coagulation disorders, thrombocytopenia, or be on anticoagulant or antiplatelet therapy, increasing the risk of bleeding and coagulopathy during surgery.

Anesthesiologists must assess coagulation status preoperatively, optimize hemostasis, consider transfusion thresholds, use blood products judiciously, and employ hemostatic agents as needed to manage bleeding effectively [19].

Pain management challenges

Cancer patients may experience acute and chronic pain related to the tumor, surgical incision, treatment-induced neuropathy, or psychological factors. Anesthesiologists must develop tailored pain management plans, balance analgesia with sedation and functional recovery, use multimodal analgesic techniques, consider opioid tolerance and dependence issues, and address perioperative pain control challenges to enhance patient comfort and recovery.

Psychosocial and emotional needs:

Cancer surgeries can have significant psychological and emotional implications for patients, leading to anxiety, depression, fear of recurrence, and coping challenges. Anesthesiologists must provide compassionate care, address patient concerns, collaborate with psychosocial support services, use anxiolytic techniques, and promote patient-centered communication to enhance patient well-being and reduce perioperative stress.

Postoperative complications:

Cancer patients are at increased risk of postoperative complications, such as surgical site infections, respiratory complications (e.g., atelectasis, pneumonia), thromboembolic events, delirium, and prolonged recovery. Anesthesiologists must monitor patients closely in the postoperative period, implement preventive measures (e.g., early mobilization, incentive spirometry, venous thromboembolism prophylaxis), manage complications promptly, and facilitate optimal postoperative recovery and rehabilitation.

Ethical and end-of-life considerations:

Anesthesiologists may encounter ethical dilemmas in managing

cancer patients, particularly in cases involving advanced disease, poor prognosis, and end-of-life care decisions. They must navigate discussions about goals of care, palliative interventions, resuscitation preferences, and withdrawal of life-sustaining treatments sensitively, respecting patient autonomy, cultural beliefs, and family wishes while ensuring compassionate and ethical care.

Continuity of care:

Anesthesiologists play a role in ensuring continuity of care for cancer patients undergoing surgery, including coordinating perioperative management, communicating with oncologists and other specialists, facilitating transition to postoperative care settings, providing postoperative pain management, monitoring recovery progress, and addressing ongoing care needs in the context of cancer treatment and follow-up.

CONCLUSION

Anesthesiologists play a critical role in managing patients undergoing oncosurgeries, navigating complex challenges such as multimorbidity, tumor-related complications, surgical complexity, hemodynamic instability, coagulopathy, pain management, psychosocial needs, postoperative complications, ethical considerations, and continuity of care. Their expertise, collaboration with multidisciplinary teams, proactive planning, vigilant monitoring, compassionate care, and effective communication are essential in optimizing patient outcomes, ensuring safety, and enhancing patient experiences throughout the perioperative period. Despite the challenges, anesthesiologists strive to deliver personalized, evidence-based care that addresses the unique needs of cancer patients undergoing surgery, contributing to improved surgical outcomes and patient well-being.

REFERENCES

1. Gudaityte J, Dvylys D, Simeliunaite I. Anaesthetic challenges in cancer patients: current therapies and pain management. *Acta Med Litu.* 2017;24:121-127.
2. Arun kumar R, Rebello E, Owusu-Agyemang P. Anaesthetic techniques for unique cancer surgery procedures. *Best Pract Res Clin Anaesthesiol.* 2013;27:513-526.
3. Sahai SK. Perioperative assessment of the cancer patient. *Best Pract Res Clin Anaesthesiol.* 2013;27:465-480.
4. Mincer JS, Buggy DJ. Anaesthesia, analgesia, and cancer outcomes: time to think like oncologists? *Br J Anaesth.* 2023;131:193-196.
5. Arain MR, Buggy DJ. Anaesthesia for cancer patients. *Curr Opin Anaesthesiol.* 2007;20:247-253.
6. Power I, McCormack JG, Myles PS. Regional anaesthesia and pain management. *Anaesthesia.* 2010;65:38-47.
7. Ash SA, Buggy DJ. Does regional anaesthesia and analgesia or opioid analgesia influence recurrence after primary cancer surgery? An update of available evidence *Best Pract Res Clin Anaesthesiol.* 2013;27:441-456.
8. Sahai SK. Perioperative assessment of the cancer patient. *Best Pract Res Clin Anaesthesiol.* 2013;27:465-480.
9. Wigmore TJ, Farquhar-Smith P, Lawson A. Intensive care for the cancer patient – Unique clinical and ethical challenges and outcome prediction in the critically ill cancer patient. *Best Pract Res Clin Anaesthesiol.* 2013;27:527-543.
10. Jain P, Balkrishnan K, Nayak S, Gupta N, Shah S. Onco-Anesthesiology and palliative medicine: Opportunities and challenges. *Indian J Anaesth.* 2021;65:29-34.
11. Wiese CH, Bartels UE, Zausig YA, Graf BM, Hanekop GG. Palliative medicine. Fifth pillar of anaesthesia departments. *Anaesthesist.* 2009;58:218-220. German.
12. Mestdagh F, Steyaert A, Lavand'homme P. Cancer Pain Management: A Narrative Review of Current Concepts, Strategies, and Techniques. *Curr Oncol.* 2023;18;30:6838-6858.
13. Habibi BA, Kim C, Elsharkawy H. Persistent and Chronic Perioperative Pain After Cancer Surgery. *Curr Oncol Rep.* 2022;24:215-222.
14. Nair AS, Naik V, Saifuddin MS, Narayanan H, Rayani BK. Regional anesthesia prevents cancer recurrence after oncosurgery! What is wrong with the hypothesis? *Indian J Cancer.* 2021;58:447-454.
15. Beloeil H, Nouette-Gaulain K. The perioperative period in cancer surgery: a critical moment! Is there a role for regional anesthesia in preventing cancer recurrence? *Ann Fr Anesth Reanim.* 2012;31:528-536.
16. Ramirez MF, Cata JP. Anesthesia Techniques and Long-Term Oncological Outcomes. *Front Oncol.* 2021 8;11:788918.
17. Khan MI, Dellinger RP, Waguespack SG. Electrolyte Disturbances in Critically Ill Cancer Patients: An Endocrine Perspective. *J Intensive Care Med.* 2018;33:147-158.
18. Cata JP, Corrales G, Speer B, Owusu-Agyemang P. Postoperative acute pain challenges in patients with cancer. *Best Pract Res Clin Anaesthesiol.* 2019;33:361-371.
19. Hallet J, Sutradhar R, Jerath A, d'Empaire PP, Carrier FM, et al. Association Between Familiarity of the Surgeon-Anesthesiologist Dyad and Postoperative Patient Outcomes for Complex Gastrointestinal Cancer Surgery. *JAMA Surg.* 2023 65:38-47.